

JOSOO

www.josoo cooler.com

JOSOO COOLERS Catalogue 2023

Josoo Brief

Founded: **In 2007** Factory Area (m²): **25000+**

Employees: **200-300+**

Prod. Capacity (pcs/month): **6000+** (Coolers) , * **100K+** (Rice Cookers, etc.) ,

Certificates:



DOE



RoHS

REACH

Awards:

- "Zhongshan Quality Benchmarking Enterprise 中山市质量标杆企业" --2021
- "Top 1000 Growth Enterprises of Guangdong Innovation Benchmarking Enterprises 广东省创新标杆企业成长百强企业" --2020
- "Guangdong Specialized And Sophisticated Enterprises 广东省专精特新中小企业" --2020
- "National High-tech Enterprise 国家高新技术企业" --2018

Josoo Culture

愿景 Vision

努力成为中国制造的骄傲
Strive to be the pride of Made In China

使命 Mission

为客户提供满意的优质产品和服务
To provide clients with quality products and satisfactory service

价值观 Core Values

品质第一, 拥抱变化, 创新, 乐趣, 做人, 成果
Quality First, Embracing Change, Be Innovative,
Enjoy Your Job and Life, Be A Good Man, Result-oriented


Josoo Facilities



Collection




Josoo Coolers Product Line



Beverage Coolers

ZS-A150
Beverage
Silver



Beverage Coolers | Build-under | Classic | ZS-A88 BEV

■ Finish Available:

45 Degree Corner SST Door



Seamless SST Door



Wire Shelf



Mirror Glass Door



Parallel SST Panel Door


■ Performance

- Temp.Zone: Single Zone;
- Energy Standard/Noise(dB(A)): /39;
- Temp.Range: 1-18°C ;

■ Capacity

- Storage Capacity (330ml/11.2oz): **90 Cans**;
- Net Capacity: 90L;
- Unit Size: **W380xD585xH870mm**;
- Humidity Range: 50%-80%RH;

■ Common Features:

- Foaming Agent/Refrigerant: C-Pentane/R600a;
- Control Type/Memory: Touch Control/ Yes;
- UV-Proof Glass: Yes, °C / °F Switch: Yes;
- Defrost Type: Auto-defrost;
- Climate Type: SN, N, ST;
- 100% CFC/HFC Free

■ Packing/Loading :



- Packing Size: W420xD632xH910mm;
- 20'GP/40'HQ (pcs) : 123/292

■ Features

- Cooling System: Comp./Fan Cooling;
- Compressor: Jiaxipera;
- Air Ventilation: By Plinth Vent Grille;
- Door Frame/Glass: Full Glass/2-Layer, Tempered Clear Glass;
- Reversible Door: Yes;
- Handle Type: SST;
- Shelf: 3 Wire Shelves;
- Display: Blue/White LED Display;
- Lighting: White On Top;
- Winter Care: N/A;
- Cabinet/Plinth Vent Grille Color:Black/Black;
- Certificates: CB/CE/ETL/RoHS/REACH

■ Extra Options:

- Lock & Key: Option;
- Carbon Filter: Option;

■ Beverage Loading Drawing:

■ Installation Drawing: Build-under


Beverage Coolers | Build-under | Classic | **ZS-A150 BEV** | W598mm

Finish Available:

45 Degree Corner SST Door



Seamless SST Door



Wire Shelf



Mirror Glass Door



Parallel SST Panel Door


Performance

- Temp.Zone: Single Zone;
- Energy Standard/Noise(dB(A)): /39;
- Temp.Range: 1-18°C ;

Capacity

- Storage Capacity (330ml/11.2oz): **151 Cans**;
- Net Capacity: 148L;
- Unit Size: **W598xD585xH870mm**;
- Humidity Range: 50%-80%RH;

Common Features:

- Foaming Agent/Refrigerant: C-Pentane/R600a;
- Control Type/Memory: Touch Control/ Yes;
- UV-Proof Glass: Yes, °C / °F Switch: Yes;
- Defrost Type: Auto-defrost;
- Climate Type: SN, N, ST;
- 100% CFC/HFC Free

Packing/Loading :



- Packing Size: W650xD645xH910mm;
- 20'GP/40'HQ (pcs) : 54/152

Features


- Cooling System: Comp./Fan Cooling;
- Compressor: Jiaxipera;
- Air Ventilation: By Plinth Vent Grille;
- Door Frame/Glass: Full Glass/2-Layer, Tempered Mirror Glass;
- Reversible Door: Yes;
- Handle Type: SST;
- Shelf: 3 Wire Shelves;
- Display: Blue/White LED Display;
- Lighting: White On Top;
- Winter Care: N/A;
- Cabinet/Plinth Vent Grille Color:Black/Black;
- Certificates: CB/CE/ETL/RoHS/REACH

Extra Options:

- Lock & Key: Option;
- Carbon Filter: Option;

Beverage Loading Drawing:

Installation Drawing: Build-under


Beverage Coolers | Build-under | Classic | **ZS-B150D BEV** | W598mm



■ **Finish Available:**

45 Degree Corner SST Door



Seamless SST Door



Wire Shelf



Mirror Glass Door



Parallel SST Panel Door



■ **Performance**

- Temp.Zone: Dual Zone;
- Energy Standard/Noise(dB(A)): /39;
- Temp.Range: Upper:1-18°C ,Lower:1-18°C ;

■ **Capacity**

- Storage Capacity (330ml/11.2oz): **133 Cans**;
- Net Capacity: 139L;
- Unit Size: **W598xD585xH870mm**;
- Humidity Range: 50%-80%RH;

■ **Common Features:**

- Foaming Agent/Refrigerant: C-Pentane/R600a;
- Control Type/Memory: Touch Control/ Yes;
- UV-Proof Glass: Yes, °C / °F Switch: Yes;
- Defrost Type: Auto-defrost;
- Climate Type: SN, N, ST;
- 100% CFC/HFC Free

■ **Packing/Loading :**

- Packing Size: W650xD645xH910mm;
- 20'GP/40'HQ (pcs) : 54/152


■ **Features**

- Cooling System: Comp./Fan Cooling;
- Compressor: Jiaxipera;
- Air Ventilation: By Plinth Vent Grille;
- Door Frame/Glass: Full Glass/2-Layer, Tempered Clear Glass;
- Reversible Door: Yes;
- Handle Type: SST;
- Shelf: 3 Wire Shelves;
- Display: Blue/White LED Display;
- Lighting: White On Top;
- Winter Care: Yes;
- Cabinet/Plinth Vent Grille Color:Black/Black;
- Certificates: ETL


■ **Extra Options:**


- Lock & Key: Option;
- Carbon Filter: Option;

■ **Beverage Loading Drawing:**



■ **Installation Drawing: Build-under**



Beverage Coolers | Build-under | Classic | **ZS-B120 BEV**

Finish Available:

45 Degree Corner SST Door



Seamless SST Door



Mirror Glass Door


Performance

- Temp.Zone: Dual Zone;
- Energy Standard/Noise(dB(A)): /39;
- Temp.Range: Left:5-20°C , Right:1-18°C ;

Capacity

- Storage Capacity (750ml+330ml): **20 Bottles+57 Cans**;
- Net Capacity: 118L;
- Unit Size: **W598xD585xH868mm**;
- Humidity Range: 50%-80%RH;

Common Features:

- Foaming Agent/Refrigerant: C-Pentane/R600a;
- Control Type/Memory: Touch Control/Yes;
- UV-Proof Glass: Yes, °C / °F Switch: Yes;
- Defrost Type: Auto-defrost;
- Climate Type: SN, N, ST;
- 100% CFC/HFC Free

Packing/Loading :



- Packing Size: W650xD645xH910mm;
- 20'GP/40'HQ (pcs) : 54/152

Features

- Cooling System: Comp./Fan Cooling;
- Compressor: Jiaxipera;
- Air Ventilation: By Plinth Vent Grille;
- Door Frame/Glass: Full Glass/2-Layer, Tempered Clear Glass;
- Reversible Door: N/A;
- Handle Type: SST;
- Shelf: Left :2 Wire Shelves; Right: 5 Beech Shelves;
- Display: Blue/White LED Display;
- Lighting: White On Top;
- Winter Care: Yes;
- Cabinet/Plinth Vent Grille Color:Black/Black;
- Certificates: CB/CE/ETL/RoHS/REACH

Extra Options:

- Lock & Key: Option;
- Carbon Filter: Option;

Beverage Loading Drawing:

Installation Drawing: Build-under


Beverage Coolers | Build-under | Classic | ZS-B176 BEV



■ Finish Available:

45 Degree Corner SST Door



Seamless SST Door



Mirror Glass Door



■ Performance

- Temp.Zone: Dual Zone;
- Energy Standard/Noise(dB(A)): /39;
- Temp.Range: Left:5-20°C , Right:1-18°C ;

■ Capacity

- Storage Capacity (750ml+330ml): **33 Bottles+90 Cans**;
- Net Capacity: 180L;
- Unit Size: **W760xD585xH870mm**;
- Humidity Range: 50%-80%RH;

■ Common Features:

- Foaming Agent/Refrigerant: C-Pentane/R600a;
- Control Type/Memory: Touch Control/Yes;
- UV-Proof Glass: Yes, °C / °F Switch: Yes;
- Defrost Type: Auto-defrost;
- Climate Type: SN, N, ST;
- 100% CFC/HFC Free

■ Packing/Loading :

- Packing Size: W810xD645xH920mm;
- 20'GP/40'HQ (pcs) : 50/143


■ Features

- Cooling System: Comp./Fan Cooling;
- Compressor: Jiaxipera;
- Air Ventilation: By Plinth Vent Grille;
- Door Frame/Glass: Full Glass/2-Layer, Tempered Clear Glass;
- Reversible Door: N/A;
- Handle Type: SST;
- Shelf: Left: 3 Wire Shelves; Right :6 Beech Shelves;
- Display: Blue/White LED Display;
- Lighting: White On Top;
- Winter Care: Yes;
- Cabinet/Plinth Vent Grille Color:Black/Black;
- Certificates: CB/CE/ETL/RoHS/REACH


■ Extra Options:


- Lock & Key: Option;
- Carbon Filter: Option;

■ Beverage Loading Drawing:



■ Installation Drawing: Build-under



Beverage Coolers | Free Standing | Apex | **ZS-A45 BEV**

Finish Available:

45 Degree Corner SST Door



Seamless SST Door



Mirror Glass Door



Parallel SST Panel Door


Performance

- Temp.Zone: Single Zone;
- ERP Class/Noise(dB(A)): **/39**;
- Temp.Range: 1 – 18° C;

Capacity

- Storage Capacity (330ml/11.2oz): **60 Cans**;
- Net Capacity: 45L;
- Unit Size: **W343xD475xH721mm**;
- Humidity Range: 50%-80%RH;

Common Features:

- Foaming Agent/Refrigerant: C-Pentane/R600a;
- Control Type/Memory: Touch Control/ Yes;
- UV-Proof Glass: Yes, °C / °F Switch: YES;
- Defrost Type: Auto-defrost;
- Climate Type: SN, N, ST;
- 100% CFC/HFC Free

Packing/Loading :


- Packing Size: W379 x D525 x H743mm;
- 20'GP/40'HQ (pcs) : 190/461


Features

- Cooling System: Comp./Fan Cooling;
- Compressor: Huayi;
- Air Ventilation: By Both Side;
- Door Frame/Glass: Full Glass/2-Layer, Tempered Clear Glass;
- Reversible Door: Yes;
- Handle Type: Recessed Handle;
- Shelf: 3 Tempered Glass Shelves;
- Display: Blue/White LED Display;
- Lighting: White On Top;
- Winter Care: N/A;
- Cabinet/Plinth Vent Grille Color:Black/N/A;
- Certificates: CB/CE/RoHS/REACH

Extra Options:

- Lock & Key: Option;
- Carbon Filter: Option;

Beverage Loading Drawing:


Beverage Coolers | Free Standing | Retro | **ZS-A48 BEV**

Finish Available:

ZS-A48 BEV Red



ZS-A48 White


■ Performance

- Temp.Zone: Single Zone;
- ERP Class/Noise(dB(A)): /39;
- Temp.Range: 1-18°C;

■ Capacity

- Storage Capacity (330ml/11.2oz): **60 Cans**;
- Net Capacity: 45L;
- Unit Size: **W366xD476xH743mm**;
- Humidity Range: 50%-80%RH;

■ Common Features:

- Foaming Agent/Refrigerant: C-Pentane/R600a;
- Control Type/Memory: Touch Control/ Yes;
- UV-Proof Glass: Yes, °C / °F Switch: YES;
- Defrost Type: Auto-defrost;
- Climate Type: SN, N, ST;
- 100% CFC/HFC Free

■ Packing/Loading :


- Packing Size: W416xD531xH795m;
- 20'GP/40'HQ (pcs) : 140/348


■ Features

- Cooling System: Comp./Fan Cooling;
- Compressor: Huayi;
- Air Ventilation: By Both Side;
- Door Frame/Glass: ABS/Retro/2-Layer, Tempered Clear Glass;
- Reversible Door: N/A;
- Handle Type: Handleless;
- Shelf: 3 Tempered Glass Shelves;
- Display: Blue/White LED Display;
- Lighting: White On Top;
- Winter Care: N/A;
- Cabinet/Plinth Vent Grille Color:Black/Red/White/N/A;
- Certificates: CB/CE/RoHS/REACH

■ Extra Options:

- Lock & Key: N/A;
- Carbon Filter: Option;

■ Beverage Loading Drawing:


Beverage Coolers | Free Standing | Retro | ZS-A58 BEV

Finish Available:

ZS-A58 BEV Red



ZS-A58 White


Performance

- Temp.Zone: Single Zone;
- ERP Class/Noise(dB(A)): **/38**;
- Temp.Range: 1-18°C;

Capacity

- Storage Capacity (330ml/11.2oz): **86 Cans**;
- Net Capacity: 60L;
- Unit Size: **W366xD476xH928mm**;
- Humidity Range: 50%-80%RH;

Common Features:

- Foaming Agent/Refrigerant: C-Pentane/R600a;
- Control Type/Memory: Touch Control/ Yes;
- UV-Proof Glass: Yes, °C / °F Switch: YES;
- Defrost Type: Auto-defrost;
- Climate Type: SN, N, ST;
- 100% CFC/HFC Free

Packing/Loading :


- Packing Size: W416xD531xH980mm;
- 20'GP/40'HQ (pcs) : 112/280

Features

- Cooling System: Comp./Fan Cooling;
- Compressor: Huayi;
- Air Ventilation: By Both Side;
- Door Frame/Glass: ABS/Retro/3-Layer, Tempered Clear Glass, Single Low-E;
- Reversible Door: N/A;
- Handle Type: Handleless;
- Shelf: 4 Tempered Glass Shelves;
- Display: Blue/White LED Display;
- Lighting: White On Top;
- Winter Care: N/A;
- Cabinet/Plinth Vent Grille Color:Black/Red/White/N/A;
- Certificates: CB/CE/RoHS/REACH

Extra Options:

- Lock & Key: N/A;
- Carbon Filter: Option;

Beverage Loading Drawing:


Handle Options



LS01 (490mm)



LS02 (490mm)



LS03 (490mm)



LS04 (870mm)



LS05 (490mm)



LS06 (490mm)



LS07 (490mm)



LS08 (490mm)

JOSOO

JOSOO

ZHONGSHAN JOSOO ELECTRIC APPLIANCE CO.,LTD.

No. 9, Qiye North Road, Maxin Industry Zone, Huangpu Town, Zhongshan City, Guangdong, China

0760-23309226

0760-23309225

sales@josoo.com.cn

www.josoo cooler.com